



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/576,948	01/08/2007	Satoshi Nagai	290082US0PCT	5940
22850	7590	01/26/2009		
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			EXAMINER POLANSKY, GREGG	
			ART UNIT	PAPER NUMBER
			1614	
			NOTIFICATION DATE	DELIVERY MODE
			01/26/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10576948	1/8/2007	NAGAI ET AL.	290082US0PCT

OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C.
1940 DUKE STREET
ALEXANDRIA, VA 22314

EXAMINER

GREGG POLANSKY

ART UNIT	PAPER
----------	-------

1614	20090114
------	----------

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

1. The reply filed on 10/31/2008 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Item 4 of the Requirement for Restriction/Election mailed 10/01/2008 required an election of an allergen-reducing agent. Additionally, Applicants were directed to "identify the specific instant formula (i.e., formula 1, 2 or 3) which defines the elected agent, along with the values for each variable in the formula" (emphasis in original). Applicants elected Aculyln™ 22 as disclose on page 60 of the Specification. Applicants state the elected specie reads on elected Claims 1-5 (Group I). However, Applicants have not identified the values for each variable in the formulae nor have they provided the structure of the elected specie so as to provide the means for identification of the claims which read on the specie. This is deemed to be non-responsive.
2. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).
3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to GREGG POLANSKY whose telephone number is (571)272-9070. The examiner can normally be reached on Mon-Thur 9:30 A.M. - 7:00 P.M. EST.
4. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ardin H. Marschel can be reached on (571) 272-0718. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ardin Marschel/
Supervisory Patent Examiner, Art Unit 1614